


CORNER TRACKS



FOR BEVELFLEX CHAIN

155

-SINGLE AND DOUBLE AND TRIPLE STANDARD

FOR TABFLEX CHAIN (SPLIT TYPE)

156

-SINGLE AND DOUBLE STANDARD

FOR TABFLEX CHAIN (ONE BODY TYPE)

157

-SINGLE AND DOUBLE AND TRIPLE STANDARD

FOR MAGNETFLEX CHAIN

158

-SINGLE AND DOUBLE AND TRIPLE STANDARD

STRAIGHT TRACKS (SPLIT TYPE)

159

-SINGLE AND DOUBLE STANDARD


CORNER DISCS FOR PLASTIC CHAIN

160





CORNER TRACKS

BEVELFLEX



SINGLE STANDARD

DOUBLE STANDARD



SINGLE STANDARD

FOR CHAIN TYPE	CODE.NO	WIDTH	B1	H1	H2	H4	RADIUS		A
							R1		
P826CB	1801	100	41.4	25	18	16	500		100
SS826CB		125					610		125
SS1905CB	1803	200					610		200

DOUBLE STANDARD

FOR CHAIN TYPE	CODE.NO	WIDTH	B1	H1	H2	H4	RADIUS		E	A
							R1	R2		
P826CB	1804	185	41.4	25	18	16	500	585	85	100
SS826CB		245					610	730	120	125
SS1905CB	1806	395					610	805	195	200


TRIPLE STANDARD

FOR CHAIN TYPE	CODE.NO	WIDTH	B1	H1	H2	H4	RADIUS			E	A
							R1	R2	R3		
P826CB	1807	270	41.4	25	18	16	500	585	670	85	100
SS826CB											

Corner Tracks


CORNER TRACKS (SPLIT TYPE)

TABFLEX



SINGLE STANDARD

DOUBLE STANDARD



SINGLE STANDARD


FOR CHAIN TYPE	CODE.NO	WIDTH	B1	B2	H1	H2	H3	RADIUS		A
								R1		
P826CT/SS826CT	1810	100						500		100
P1143CT/SS1143CT	1811	125	45	70	25	18	9.5			125
SS1905CT	1813	200						610		200
P1905CHT	1814	200								200
P2540CHT	1815	265	58	90	32	24	16			265
P3048CHT	1816	320								320
LBP953CHT	1817	125	58	90				670		125
SP826CT	1818	100								100
SP1143CT	1819	125								125
SP1905CT	1820	200	34.6	60	32	26	19	610		200
SP2540CT	1821	265								265
SP3048CT	1822	320								320
PRT,PR1700T	1823							890		
	1825	90	58	70	25	18	9	1100		
A600CT	1840	80	47	60	32	25	5	700		80
P826BO	1841	100	45	70	25	18	9.5	250		100
P635F	1842	65	23	40	32	25	6	150		65
P826F	1843	85	38	61	32	25	6	160		85
P103F	1844	105	48	80	32	25	6	200		105

DOUBLE STANDARD

FOR CHAIN TYPE	CODE.NO	WIDTH	B1	B2	H1	H2	H3	RADIUS		E	A
								R1	R2		
P826CT	1826	185						500	585	85	100
SS826CT											
P1143CT			45	70	25	18	9.5	610	730	120	125
SS1143CT											
SS1905CT	1829	395						610	805	195	200
P1905CHT	1830	395							805	195	200
P2540CHT	1831	525	58	90	32	26	16	610	870	260	265
P3048CHT	1832	630							920	310	320
LBP953CHT	1833	225						670	770	100	125
SP826CT	1834	190							700	90	100
SP1143CT	1835	245							730	120	125
SP1905CT	1836	395	34.6	60	32	26	19	610	805	195	200
SP2540CT	1837	525							870	260	265
SP3048CT	1838	630							920	310	320

CORNER TRACKS (ONE BODY TYPE)

TABFLEX



SINGLE STANDARD

DOUBLE STANDARD



SINGLE STANDARD

FOR CHAIN TYPE	CODE.NO	WIDTH	H	RADIUS R1	A	
P826CT	1845	100	55	500	100	
SS826CT						
P1143CT	1846	125		60	610	125
SS1143CT						
P1905CHT	1848	200	610		200	
SS1905CT						
P2540CHT	1849	265			265	
P3048CHT	1850	320			310	
LBP953CHT	1851	125	670		125	
SP826CT	1852	100	610		100	
SP1143CT	1853	125			125	
SP1905CT	1854	200			200	
SP2540CT	1855	265		265		
SP3048CT	1856	320		320		

DOUBLE STANDARD


FOR CHAIN TYPE	CODE.NO	WIDTH	H	RADIUS		T	A
				R1	R2		
P826CT	1857	185	55	500	585	85	100
SS826CT							
P1143CT	1858	245		610	730	120	125
SS1143CT							
P1905CHT	1860	395	60	610	805	195	200
SS1905CT							
P2540CHT	1861	525		610	870	260	265
P3048CHT							
LBP953CHT	1863	225		670	770	100	125
SP826CT							
SP1143CT	1865	245		730	120	125	
SP1905CT							1866
SP2540CT	1867	525		870	260	265	
SP3048CT							1868

TRIPLE STANDARD

FOR CHAIN TYPE	CODE.NO	WIDTH	H	RADIUS			T	A
				R1	R2	R3		
P826CT	1869	270	55	500	585	670	85	100
SS826CT								125
LBP953CT	1870	325	60	610	700	790	90	200
SP826CT	1871	280						265

CORNER TRACKS

MAGNET FLEX



SINGLE STANDARD

DOUBLE STANDARD



SINGLE STANDARD

FOR CHAIN TYPE	CODE.NO	A	B1	H1	H2	RADIUS R1
SS826CM	1876	100	44.2	25	55	500
	1877	111				
SS1143CM	1878	125				610
	1879	129				
SS1905CM	1880	214				
FTM1050	1872	100	44.2	27	63	500

DOUBLE STANDARD

FOR CHAIN TYPE	CODE.NO	A + E	B1	H1	H2	RADIUS R1 R2		E	A
SS826CM	1881	190	44.2	25	55	500	590	90	100
	1882	189					589	85	100
	1883	185					585	120	100
SS1143CM	1884	249			60	610	560	120	129
	1885	410					670	196	
SS1905CM	1886	185					708	85	214
FTM1050	1873		44.2	27	63	500	585		185

* a1 : single standard width


TRIPLE STANDARD

FOR CHAIN TYPE	CODE.NO	A+E+E	B1	H1	H2	RADIUS R1 R2 R3			E	A
SS826CM	1887	280	44.2	27	55	500	590	680	90	100
	1888	278					589	678	89	100
	1889	270					585	670	85	100
FTM1050	1874	270	44.2	27	63	500	585	670	85	100

* a1 : single standard width


STRAIGHT TRACKS (SPLIT TYPE)

TABFLEX



SINGLE STANDARD

DOUBLE STANDARD



SINGLE STANDARD

FOR CHAIN TYPE	CODE.NO	WIDTH	B1	B2	H1	H2	H3	A	L
P826CT/SS826CT	5098	100						100	1000/ 2000
P1143CT/SS1143CT	5099	125	45	70	25	18	9.5	125	
SS1905CT	5100	200						200	
P1905CHT	5101	200						200	
P2540CHT	5102	265	58	90	32	24	16	265	
P3048CHT	5103	320						320	
SP826CT	5104	100						100	
SP1143CT	5105	125						125	
SP1905CT	5106	200	34.6	60	32	26	19	200	
SP2540CT	5107	265						265	
SP3048CT	5108	320						320	
PRT,PR1700T	5109								
	5110	90	58	70	25	18	9		
A600CT	5111	80	47	60	32	25	5	80	
P826BO	5112	100	45	70	25	18	9.5	100	
P635F	5113	65	23	40	32	25	6	65	
P826F	5114	85	38	61	32	25	6	85	
P103F	5115	105	48	80	32	25	6	105	

DOUBLE STANDARD



FOR CHAIN TYPE	CODE.NO	WIDTH	B1	B2	H1	H2	H3	E	A	L
P826CT/SS826CT	5116	185						85	100	1000/ 2000
P1143CT/SS1143CT	5117									
SS1143CT	5118	245	45	70	25	18	9.5	120	125	
SS1905CT	5119	395						195	200	
P1905CHT	5120	395						195	200	
P2540CHT	5121	525	58	90	32	26	16	260	265	
P3048CHT	5122	630						310	320	
SP826CT	5123	190						90	100	
SP1143CT	5124	245						120	125	
SP1905CT	5125	395	34.6	60	32	26	19	195	200	
SP2540CT	5126	525						260	265	
SP3048CT	5127	630						310	320	

CORNER DISCS FOR PLASTIC CHAIN



CODE.NO	FOR CHAIN TYPE
5009	P82.6BO

Material : UHMW-PE
Color : black



CODE.NO	FOR CHAIN TYPE
5012	PR1700
5012-TAB	PR1700T

Material : UHMW-PE
Color : black

